



CONRAC

**INDOOR
BASIC**

PUBLIC DISPLAYS

Basic


Information display. Digital Signage.

cVTEC
CONRAC Technology
Makes your display last longer.

Innovation. Experience. Flexibility. Quality.



SLIM BEZEL DESIGN



cDPM front sensor

cDPM

Display Performance Monitoring

A special sensor integrated in the front bezel continuously monitors the TFT panel's function (backlight, inverter, power supply and interface). Any malfunction is immediately detected and reported.



Vienna Train Station / Austria




Changi Airport / Singapore



Tegel Airport Berlin / Germany



Bogota Airport / Colombia



Book shop Huebscher, Kulmbach / Germany

Applications BUSINESS

Display of information, advertising and entertainment in waiting and sales areas (POI Point-of-Information / POW Point-of-Waiting / POS Point-of-Sales) where the displays are **out of reach and a front protection is not required.**

B2B

- Cultural facilities - museum, theatres, cinemas
- Government agencies & other public buildings
- Banking & finance
- Stadia & other sports facilities
- Leisure & recreational facilities
- Shopping malls
- Supermarkets & shops
- Exhibition & event centres
- Hotels & restaurants

AIRPORT

Airports

- Arrival & departure information
- Check-in
- Gate
- Information counters
- Lounges & waiting areas
- Meeting points

TRANSPORT

Train & bus stations, subway & light rail stations, mountain railways, etc.

- Time tables
- Track information
- Ticket counters
- Information counters
- Information terminals
- Lounges & waiting areas
- Meeting points

Features & advantages

SLIM BEZEL

Based on decades of experience CONRAC develops and produces real Public Displays, designed and engineered for 24/7/365 operation.

As a result of extensive R&D, CONRAC has implemented various vital cTEC functions into their displays to guarantee maximum reliability and durability, thus contributing to a reduced cost of ownership.

- Lowest energy consumption
- Low-noise concept
- cDPM for monitoring of display functions
- Robust fire-retardant aluminium housings with powder coating (IP20)
- Design-oriented slim bezel design (30mm)
- External controls and connections are out of reach
- Dedicated for landscape and portrait mode applications
- VESA mounting (600 x 200)
- Long-term service and support guaranteed

UNIVERSAL


DURABLE

Products

Display type Diagonal	6032 BD 32" / 80cm
Resolution (pixel)	1366 x 768
Dimensions (mm) HxWxD	453x764x126mm
Weight (+/- 10%)	12.9 kg

Configurations

The modular concept allows the integration of different electronic platforms.



Display Solution (AV)	PC Solution (IPC)	System Solution (GEB*)
Monitor for connection to external signal sources	Hardware-platform for Windows based applications	All-in solution for Digital Signage Systems (Hardware & Software)
Display	Display	Display
	Integrated Industrial PC	Integrated Controller*
	Operating System (WinXP® embedded)	Operating System (RTOS**)
	Monitoring Software (CONRAC Tray)	Monitoring Software (emb. in Client Software)
		Client Software
		Server Software (optional)

* Graphic Engine Board
** non-Windows based operating system



CONRAC

Developed / Designed / Made in Germany



Head office & production:

CONRAC GmbH

Lindenstrasse 8
D-97990 Weikersheim
Germany
Tel.: +49-7934-101 0
Fax: +49-7934-101 101
E-mail: info@conrac.de
Internet: www.conrac.de

DATA MODUL GROUP



Subsidiaries & Sales Offices:

CONRAC France - Paris

E-mail: info@conracfrance.fr
www.conrac.fr
Tel.: +33 (0)3-44 54 96 99

CONRAC Asia - Singapore

E-mail: sales@conrac-asia.com
www.conrac-asia.com
Tel.: +65-67 42 79 88

CONRAC MENA FZE - Dubai

E-mail: info@conrac.ae
www.conrac.ae
Tel.: +971-4 29 94 009

CONRAC South Africa - Johannesburg

E-Mail: info@conrac.co.za
www.conrac.co.za
Tel.: +27-83-635 0369

CONRAC Latin America - Bogota

E-Mail: info@conrac.co
www.conrac.co
Tel./Fax: +57-1-34 65 338

CONRAC Sales Office Southern Europe - Rome

E-mail: info@conrac.it
www.conrac.it
Tel.: +39 06-45 43 92 02

CONRAC Sales Office Northern Europe - Sweden

E-mail: info@conrac.se
www.conrac.se
Tel.: +46 42 212 939

CONRAC Sales Office Northern Europe - Norway

E-mail: info@conrac.no
www.conrac.no
Tel.: +47 52 77 63 85



Specification subject to change without prior notice.
GM flyer_basic_0-0016_e_rev01