CONRAC

INDOOR NARROW BEZEL

PUBLIC DISPLAYS Narrow Bezel

Information display. Digital Signage. Command & Control.



Innovation. Experience. Flexibility. Quality.





A special sensor integrated in the front bezel continuously monitors the TFT panel's function (backlight, inverter, power supply and interface). Any malfunction is immediately detected and reported.







Applications DIGITAL SIGNAGE

COMMAND & CONTROL

Display of information, advertising and entertainment in waiting and sales areas in all kinds of digital signage systems where a front protection of the display is not required.

The Narrow Bezel series is ideally suited for video walls, guest and visitor information systems, POI (Pointof-Information), POW (Point-of-Waiting) and POS (Point-of-Sale) applications.

B2B

Command & Control

- Cultural facilities museums, theatres, cinemas
- Governmental, municipal & other public buildings
- Banking & finance
- Sports facilities
- Leisure & recreational facilities
- Supermarkets & shops
- Exhibition & event centres
- Conferencing
- Hotels & restaurants
- Lounges & waiting areas

- Municipal utilities
- Traffic control for railway, subway, light rail, bus networks
- Broadcast control centres
- Facility management
- Security systems

Features & advantages **HIGHLY FLEXIBLE SLIM & AS LARGE AS YOU WISH**

An application long waited for can now be realised: Display walls using large flat screens with near to no disturbing frame in between.

The latest generation of flat screens for digital signage is mainly characterised by the almost frameless design. The minimum bezel width the high resolution and excellent image quality makes the Narrow Bezel series the ideal displays for cluster solutions and video walls.

As a result of extensive R&D, Conrac has implemented various vital cTEC functions into their displays to guarantee maximum reliability and durability, thus contributing to a reduced cost of ownership.

- Bezel width of less than 15mm
- Landscape and portrait mode possible
- Remote control & monitoring
- Sunlight readable high brightness panels for installation in high-ambient-light conditions (optional)
- VESA compatibility simplifies quick & easy mounting
- Long-term service and support guaranteed


Further information: www.conrac.de

Products

Model Diagonal	6042 BD 42" / 106cm	6047 BD 47" / 119cm
Resolution (pixel)	1920 x 1080	1920 x 1080
Dimensions (mm) H x W x D	552 x 959 x 120	616 x 1071 x 120
Weight (+/- 10%)	19.0 kg	24.0 kg

Configuratio

The modular conce different electronic p



ons	Display Solution (AV)	PC Solution (IPC)	System Solution (GEB*)
ept allows the integration of platforms.	Monitor for connection to external signal sources	Hardware-platform for Windows based applications	All-in solution for Digital Signage Systems (Hardware & Software)
Electronic box (fully exchangeable)	Display	Display	Display
		Integrated Industrial PC	Integrated Controller*
		Operating System (WinXP® embedded)	Operating System (RTOS**)
		Monitoring Software (CONRAC Tray)	Monitoring Software (emb. in Client Software)
			Client Software
	* Graphic Engine Board ** non-Windows based operating syster	n	Server Software (optional)

- Power plants



Developed / Designed / Made in Germany



Head office & production: **CONRAC GmbH** Lindenstrasse 8 D-97990 Weikersheim Germany Tel.: +49-7934-101 0

Fax: +49-7934-101 101 E-mail: info@conrac.de Internet: www.conrac.de

DATA MODUL GROUP



Subsidiaries & Sales Offices: **CONRAC France - Paris** E-mail: info@conracfrance.fr www.conrac.fr Tel.: +33 (0)3-44 54 96 99

CONRAC Asia - Singapore E-mail: sales@conrac-asia.com www.conrac-asia.com Tel.: +65-67 42 79 88

CONRAC MENA FZE - Dubai E-mail: info@conrac.ae www.conrac.ae Tel.: +971-4 29 94 009

CONRAC South Africa - Johannesburg E-Mail: info@conrac.co.za

www.conrac.co.za Tel.: +27-83-635 0369

CONRAC Latin America - Bogota E-Mail: info@conrac.co www.conrac.co Tel./Fax: +57-1-34 65 338

CONRAC Sales Office Southern Europe - Rome

E-mail: info@conrac.it www.conrac.it Tel.: +39 06-45 43 92 02

CONRAC Sales Office Northern Europe - Sweden

E-mail: info@conrac.se www.conrac.se Tel.: +46 42 212 939

CONRAC Sales Office Northern Europe - Norway E-mail: info@conrac.no

www.conrac.no Tel.: +47 52 77 63 85









Specification subject to change without prior notice. GM flyer_narrowbezel_0-0015_e_rev03