

# Orion 22" Transparent LCD Model





## 1. ORION Transparent LCD

### 1.1 Single Panel 22" Transparent LCD




# 1. ORION Transparent LCD

## 1.2 Drawing



## 1. ORION Transparent LCD

### 1.3 Panel Outline



## 1. ORION Transparent LCD

### 1.4 Set Specifications



Name		OLS-2201TRPOB	
LCD Display Panel	Screen Size	22inch	
	Active Display Area(mm)	437.76 * 296.10mm	
	Aspect Ratio	16:9	
	Display Colors	16.7 Mil , 5% , COLOR	
	Brightness( cd/m <sup>2</sup> )/ ( typ)	200 , TN	
	Contrast Ratio	500 : 1	
	Response Time( ms)	5 , 15%(Transmittance)	
	Viewing Angle ( H°/V°)	160/ 160	
	Life Time	50,000h average	
Resolution( Max)		Monitor	1680*1050(WXGA)
Connectivity& Control	Input	DVI (HDMI)	HDMI * 1
	Auto InterCooling System (40mm)		2000RPM * 2EA
PC	MAIN	CPU	ATOM D525 1.8Ghz
		RAM	Samsung SEC DDR3 2G
		HDD	Samsung SEC 320G
		VGA	ON BOARD HDMI (1080p) _ ION CHIP
		MAIN	ZOTAC _ MINI
OS		WINDOWS	7 HOME K
Mechanical	Dimension(mm)	Set ( W x H x L)( mm)	555 * 305 * 450
		Packed ( W x D x H)	650 * 400 * 540
	Power Requirement	Input Voltage	100 ~ 240VAC (FREE VOLT)
		Consumption On / Working(w)	MAX 80W
	Weight( kg) ( With out Glass)	Set Weight( kg)	17kg
Packed Weight( kg)		19kg	
Accessories		POWER_cable	



## 2. Applications



**Show window**



**POP window**



**Digital showcase**



**Commercial Refrigerator  
Door**



**Ambient TV**



**New Gadget**

## 3. Price

(Unit: US\$)

Type	Size	Model Name	Panel			PC Inbuilt Model		All In One Model (Monitor, Touch, PC)		Remarks
			Resolution	Brightness	Function	Sample	Over 20 EA	Sample	Over 20 EA	
Transparent LCD	22"	OLS-2201 TRPTOB	1650X1050	200 cd/m2	All-In-One Transparent LCD			3,250	3,150	Released on April, 2012
		OLS-2201 TRPOB	1650X 1050	200 cd/m2	PC Built-in Transparent LCD	2,500	2,400			Available