


# HP Poly Studio A2 Audio Bridge

## Product Brief



**Extend audio connectivity and leave complex setups behind with a plug-and-play solution that ensures seamless flexibility and future-ready scalability.**

### Easy connectivity. Simple scalability.

Streamline your audio setup with a simple plug-and-play solution for advanced connectivity. Easily integrate multiple table mics while ensuring synchronized audio. Support up to 32 audio input channels with HP Poly video room devices<sup>1</sup>.

### Hassle-free setup.

Designed with ease in mind, this audio bridge makes setup, scaling, and maintenance a breeze for any IT department. Get optimal positioning with a magnetic mount, easy management with Poly Lens, and a discreet setup with a single, standard Ethernet cable.

### What's in the Box

- HP Poly Studio A2 Audio Bridge
- 3.66 m (12 ft) Ethernet cable
- 8 m (26 ft) expansion cable
- Magnetic mount
- Mounting screws
- Quick start guide
- Warranty card



### Effortless, scalable deployment.

Do away with cumbersome and multi-component installations. Deploy using HP Poly StudioNet<sup>2</sup> for a simple, scalable and cost-efficient setup using standard Ethernet cabling. Easily adapt and reconfigure connected devices to meet evolving needs


### Built for a better tomorrow.

Containing at least 45% recycled plastics<sup>3</sup> and shipped in paper-based packaging<sup>4</sup>, this audio bridge enables more impactful meetings with less impact on the environment.



# HP Poly Studio A2 Audio Bridge

## Product Brief



Audio channels	Up to 32 input audio channels
Power	Power over Ethernet (PoE+, PoE++)
PoE Class	PoE+ Type 2 Class 4, 30W PoE++ Type 3 Class 5, 45W PoE++ Type 3 Class 6, 60W PoE++ Type 4 Class 8, 90W
Network	10/100/1000 Mb
Operating voltage	56 V
I/O	Ethernet port Four (4) A <sup>2</sup> B bus ports
Security	Kensington lock
Management	Poly Lens
Color	Black
Compatibility	Poly Studio G62 Poly Studio X72 & V72 Poly Studio X52 & V52 Poly Studio X32
Product dimensions	147 mm x 103 mm x 24 mm (5.8 in x 4.1 in x 0.9 in)
Product weight	0.33 kg (0.07 lb)
Package dimensions	327 mm x 213 mm x 89 mm (12.9 in x 8.4 in x 3.5 in)
Package weight	1.8 kg (3.97 lb)
Sustainability	45% recycled plastics and with recycled packaging
Warranty	1-year limited warranty

# HP Poly Studio A2 Audio Bridge

## Product Brief

### FOOTNOTES

1. HP Poly Studio A2 Audio Bridge is compatible with Poly Studio G62, V72, X72, V52, X52 and X32. HP Poly Studio A2 Audio Bridge is not backward compatible. HP Poly Studio X70/50/30, USB and Poly G7500 will continue to use the existing analogue and IP expansion microphones, respectively.
2. HP Poly StudioNet connects multiple devices over Ethernet, using built-in code to enable direct communication with compatible Poly devices via approved switches and the video device's LLN port.
3. Recycled plastic is expressed as a percentage of the total weight plastic. Post-consumer recycled is based on the definition set in the EPEAT standard for computers, IEEE 1680.1-2018 standard.
4. Percent of paper-based packaging made from sustainably sourced, certified, and recycled fibers.

---

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

MAY 2025