# Getac

## UX10-EX ACCESSORY SPEC BROCHURE



#### **GETAC TECHNOLOGY CORPORATION**

5F, Building A, No. 209, Section 1, Nangang Rd., Nangang Dist., Taipei City, 115018, Taiwan, R.O.C. Tel: +886 2 2785 7888 globalmarketing@getac.com | www.getac.com

# **HIGH CAPACITY BATTERY 9240 MAH (1-PACK)**

### **Features & Benefits**

The high capacity battery pack extends the system run time up to two times compared to the standard battery pack, providing a great solution for mobile professionals who require extra battery life for all-day computing. The high capacity battery is compatible with Getac multi-bay chargers.

#### **Product Information**

Battery Type: Li-ion Voltage: 10.8V Capacity: 9240mAh Number of cell: 3S3P

Dimensions: L 140 x W 136 x H 21mm

Increased device thickness: Add approx. H 11mm

Weight: 515g

(Replaceable in non-hazardous areas only)

### **SKU ID**

GBM9X5



## **MULTI-BAY BATTERY CHARGER EIGHT BAY**

### **Features & Benefits**

The 8-bay multi-battery charger is designed to charge multiple battery packs simultaneously and provide users an efficient charging solution. The Multi-Bay Charger supports the high capacity battery.

#### **Product Information**

AC Input: 100V~240V AC, 4.2A 50~60Hz

DC Output: 19.5V, 16.9A \* w / 330W AC Adapter Number of charge bays: 8 bays

Dimensions: L  $465 \times W 245 \times H 95.3 \sim 111.3 \text{mm}$  Weight: 4.7 kg, not including battery packs Support main batteries and high-capacity batteries.

(For use in non-hazardous areas only)

### **SKU ID**

GCECEK (EU Power Cord)
GCECUK (US Power Cord)
GCECKK (UK Power Cord)
GCECAK (AU Power Cord)
GCECCK (CHN Power Cord)
GCECTK (TW Power Cord)
GCECIK (IN Power Cord)



# **STANDARD BATTERY 4200 MAH (1-PACK)**

### **Features & Benefits**

The additional battery pack ensures that you can always have a spare battery charged in case you run out of power on your device while out in the filed.

### **Product Information**

Battery Type : Li-ion Voltage : 11.1V

Capacity: Typical 4200mAh; min. 4080mAh

Number of cell: 3S2P


Dimensions: L 140 x W 136 x H 10.7mm

Weight: 305g

(Replaceable in non-hazardous areas only)

### **SKU ID**

GBM6X4



## **DUAL BAY BATTERY CHARGER**

### **Features & Benefits**

This external dual-bay main battery charger is designed to charge up to 2 batteries at the same time. It provides you the benefit of charging and storing the 2 main batteries together when there is limited space or power sockets. The dual-bay Charger supports the high capacity battery.

#### **Product Information**

AC Input: 100V~240V

DC Output: 13.05V, 2.4A Max. Number of charge bay: 2 Bay

Dimension: L 160 x W 180 x H 72.5mm

Weight: 1.2kg

Support main batteries and high-capacity batteries.

(For use in non-hazardous areas only)

### **SKU ID**

GCMCEE (EU Power Cord)
GCMCUE (US Power Cord)
GCMCKE (UK Power Cord)
GCMCCE (CHN Power Cord)
GCMCTE (TW Power Cord)



## 65W AC ADAPTER WITH POWER CORD

### **Features & Benefits**

This adapter is designed to power the device and charge its internal battery from an AC power source. A country-specific power cord is included with the adapter to fit the local power outlet in your designated country.

#### **Product Information**

Input: 100V-240V, 50~60Hz, 1.5A

Output: 19V, 3.42A, 65W

Dimensions : L  $108.3 \times W 46.3 \times H 30$ mm

Weight: 250g

Input cable length : 1830mm

Output cable length. : 1500mm

(For use in non-hazardous areas only)

### **SKU ID**

GAA6E5 (EU Power Cord)

GAA6U5 (US Power Cord)

GAA6K5 (UK Power Cord)

GAA6A5 (AU Power Cord)

GAA6C5 (CHN Power Cord)



## **100W TYPE-C AC ADAPTER**

### **Features & Benefits**

The 100W Type-C AC adapter as an additional charging solution to charge Getac rugged tablets and laptops with inherent USB type-C ports as well as the power delivery functionality. The Type-C adapter features a reversible connector type that reduces connector damages due to misuse.

#### **Product Information**

Input: 100V-240V Output: 20V, 5A, 100W

Dimensions: L 140 x W 65 x H 25mm

Weight: 326g

Input cable length: 1830mm Output cable length: 1500mm (For use in non-hazardous areas only)

### **SKU ID**

GAT1E1 (EU Power Cord)

GAT1U1 (US Power Cord)

GAT1K1 (UK Power Cord)

GAT1A1 (AU Power Cord)

GAT1C1 (CHN Power Cord)

GAT1T1 (TW Power Cord)

GAT1I1 (IN Power Cord)



## DIGITIZER PEN WITH TETHER

## **Features & Benefits**

The digitizer pen provides a more accurate and easy way for data entry and handwritten signature. A shortcut button allows the right mouse button functionality when using the pen.

### **Product Information**

Stylus Dimensions: 109mm; Ø9mm

Tip size : 2.0mm ; Ø1.65mm Tether Length : 292mm

### **SKU ID**

GMPDX6





## GETAC DS100 USB-C DOCKING STATION WITH AC ADAPTER

### **Features & Benefits**

The Getac DS100 USB-C Docking Station, featuring a slim and compact design, seamlessly consolidates cables on the workstation. This allows users to swiftly create a personalized workspace and organize their daily office environment. Compatible with various Getac laptop and tablet models, it provides extra connectivity and multiple I/O ports for additional peripherals and data sources. With support for MAC Address Pass-Through, Wake-on-LAN (WoL), and PXE Boot, the DS100 aids IT administrators in maintaining a secure, efficient, and well-managed network infrastructure.

#### **Product Information**

Dimensions: L 207 x W 90 x H 34.1mm

Weight (without 135W AC Adapter): 372.4g (0.82lbs)

Power Cable Length: 1.8m

USB-C Upstream Cable Length: 1m

I/O Ports: DC in Jack x 1, USB 3.2 Gen 1 Type-A x 3,

USB 3.2 Gen 2 Type-C x 2, LAN x 1, HDMI 2.0 x 1, DisplayPort 1.4 x 2

(For use in non-hazardous areas only)

#### **SKU ID**

GDDSE2 (EU Power Cord)

GDDSU2 (US Power Cord)

GDDSK2 (UK Power Cord)

GDDSA2 (AU Power Cord)

GDDSC2 (CHN Power Cord)

GDDST2 (TW Power Cord)

GDDSI2 (IN Power Cord)



## **ANTI-STATIC SCREEN PROTECTION FILM with Glossy Finish**

### **Features & Benefits**

This anti-static protection film is designed to ensure safe operations of the UX10-Ex in hazardous environments. The innovative layer of coating minimizes the buildup of static electrical charges on the screen surface while protecting the screen from scratches and abrasions. It also prevents the possibility of a static electrical discharge potentially igniting flammable or combustible materials in the air, while also maintaining excellent surface responsiveness.

### **Product Information**

Dimensions: L 222.80 x W 141.60 x D 0.24 mm

Main Material: PET

#### **SKU ID**

GMPXX9



## **SHOULDER HARNESS 4-POINT**

### **Features & Benefits**

This shoulder harness has four snap hooks which attach to the corner rings on the tablet, and can be easily detached as well. The harness is worn in a backpack style, allowing the tablet to be carried hands-free in front of the user at a belt level for easy accessibility. It also delivers optimal support and a comfortable fit during movement, thanks to its wide soft padding and adjustable straps.

### **Product Information**

Dimension: 1380 mm x 372 mm

Main Material : Polyester

### **SKU ID**

GMS4X5



## **SHOULDER STRAP 2-POINT**

### **Features & Benefits**

This shoulder strap attaches via two holders at the back of the tablet and is adjustable to fit most body sizes for both cross-body and shoulder carry. With its durable, sturdy design, the strap not only provides a comfortable, grip-free carrying option of the tablet but also helps in avoiding accidental drops while on the move. The shoulder strap can also attach to the detachable keyboard (sold separately) via two D-rings on the built-in handle.


#### **Product Information**

Dimensions: 38 x 1530mm

Main Material : Polyester

### **SKU ID**

GMS2X9



## ROTATING HAND STRAP WITH KICKSTAND

### **Features & Benefits**

The UX10 Rotating Hand Strap is designed to make using the tablet easier and more convenient to carry. The hand strap is adjustable to fit most hand sizes and can be rotated 360 degrees to find the ideal viewing angle while on-the-go. It also includes a built-in kickstand that allows for handsfree usage on flat surfaces, providing more on-the-job flexibility.

### **Product Information**

Dimensions: 65 x 155 x 23 mm

Weight: 157.5 g

Main Material : PU leather

#### SKU ID

**GMHRXK** 



