# Getac

## K120 ACCESSORY SPEC BROCHURE



#### **GETAC TECHNOLOGY CORPORATION**

5F, Building A, No. 209, Section 1, Nangang Rd., Nangang Dist., Taipei City, 115018, Taiwan, R.O.C. Tel: +886 2 2785 7888 globalmarketing@getac.com | www.getac.com

## **CARRY BAG**

## **Features & Benefits**

Constructed of durable Nylon/air mesh fabric and featuring an adjustable padded shoulder strap, this compact carry bag provides sturdy protection for your device while giving maximum comfort. The functional pockets inside offer the optimal solution to transport the laptop and needed accessories together in one case, delivering extra convenience and go-anywhere productivity to mobile professionals.

#### **Product Information**

Dimensions: L 405 x W 330 x D 100mm

Weight: 1.335kg

Main Material: Nylon, air mesh fabric

#### SKU ID

GMBCX7



## **DUAL BAY BATTERY CHARGER**

### **Features & Benefits**

This external dual-bay main battery charger is designed to charge up to 2 batteries at the same time. It provides you the benefit of charging and storing the 2 main batteries together when there is limited space and power sockets.

#### **Product Information**

AC Input: 100V~240V

DC Output: 13.05V, 2.4A Max. Number of charge bays: 2 bays

Dimensions: L 160 x W 180 x H 72.5mm

Weight: 1.2kg

Support main batteries and high-capacity batteries.

#### **SKU ID**

GCMCEF (EU Power Cord)
GCMCUF (US Power Cord)
GCMCKF (UK Power Cord)
GCMCAF (AU Power Cord)
GCMCCF (CHN Power Cord)
GCMCTF (TW Power Cord)
GCMCIF (IN Power Cord)





# **HIGH CAPACITY BATTERY 3450 MAH (1-PACK)**

### **Features & Benefits**

The high capacity battery pack extends the system run time up to two times compared to the standard battery pack, providing a great solution for mobile professionals who require extra battery life for all-day computing. It's also hot-swappable for quick replacement without interrupting the tablet's performance.

#### **Product Information**

Battery Type : Lithium-ion Number of cell : 4S1P

Voltage : 14.4V

Capacity: Typical 3450mAh; min. 3300mAh Dimensions: L 123.9 x W 115.4 x H 22.3mm

Weight: 260g

#### **SKU ID**

GBM4X4





## **MULTI-BAY BATTERY CHARGER EIGHT BAY**

### **Features & Benefits**

The 8-bay multi-battery charger is designed to charge multiple battery packs simultaneously and provide users an efficient charging solution.

#### **Product Information**

AC Input: 100V~240V AC, 4.2A 50~60Hz

DC Output: 19.5V, 16.9A \* w / 330W AC Adapter Number of charge bays: 8 bays

Dimensions: L  $465 \times W 245 \times H 95.3 \sim 111.3 \text{mm}$  Weight: 4.7 kg, not including battery packs Support main batteries and high-capacity batteries.

#### **SKU ID**

GCECEA (EU Power Cord)
GCECUA (US Power Cord)
GCECKA (UK Power Cord)
GCECAA (AU Power Cord)
GCECCA (CHN Power Cord)
GCECTA (TW Power Cord)
GCECIA (IN Power Cord)



# **STANDARD BATTERY 2100 MAH (1-PACK)**

### **Features & Benefits**

This battery pack is specifically designed for the K120, and can be hot-swapped for quick and simple battery replacement in the field without powering the unit down.

#### **Product Information**

Battery Type : Lithium-ion Number of cell : 3S1P

Voltage: 11.1V

Capacity: Typical 2100mAh; min. 2040mAh Dimensions: L 123.9 x W 91.2 x H 12.3mm

Weight: 160g

#### **SKU ID**

GBM3X4





# **OFFICE DOCK WITH AC ADAPTER (LAPTOP MODE)**

### **Features & Benefits**

The Getac office dock brings out multiple I/O ports for connecting essential peripheral devices in office environment. Through the integrated ethernet, RS232, or USB connections, users can quickly collect and synchronize field data with central offices for real-time reporting and analytics. The HDMI and VGA ports also provide a convenient solution for sharing presentations or worksheets from a larger screen.

#### **Product Information**

Dimensions: 408 x 225.7 x 67.5 mm

Weight: 1.90 kg

Docking Connector : POGO \* w / 120W AC Adapter

I/O Interfaces : DC in Jack  $\times$  1, Audio Output  $\times$  1, Microphone  $\times$ 1, USB 2.0  $\times$  2, USB 3.0  $\times$ 3, LAN  $\times$  2, HDMI  $\times$  1, VGA  $\times$  1, Serial Port  $\times$  1, Kensington Lock  $\times$  1

#### **SKU ID**

GDODE6 (EU Power Cord) GDODU6 (US Power Cord) GDODK6 (UK Power Cord) GDODA6 (AU Power Cord) GDODC6 (CHN Power Cord) GDODT6 (TW Power Cord)





# **OFFICE DOCK WITH AC ADAPTER (TABLET MODE)**

### **Features & Benefits**

The Getac office dock brings out multiple I/O ports for connecting essential peripheral devices in office environment. Through the integrated ethernet, RS232, or USB connections, users can quickly collect and synchronize field data with central offices for real-time reporting and analytics. The HDMI and VGA ports also provide a convenient solution for sharing presentations or worksheets from a larger screen.

#### **Product Information**

Dimensions: L 313.3 x W 203.3 x H 265.7mm

Weight: 1.45kg

Docking Connector : POGO \* w / 120W AC Adapter

I/O Interfaces : DC in Jack x 1, Audio Output x 1, Microphone x1, USB 2.0 x 2, USB 3.0 x3, LAN x 2, HDMI x 1, VGA x 1, Serial Port x 1, Kensington Lock x 1

#### **SKU ID**

GDODE5 (EU Power Cord) GDODU5 (US Power Cord) GDODK5 (UK Power Cord) GDODA5 (AU Power Cord) GDODC5 (CHN Power Cord) GDODT5 (TW Power Cord)





## **CAPACITIVE STYLUS & TETHER**

## **Features & Benefits**

This capacitive stylus is lightweight and easy to control, allowing smooth and comfortable interaction with the touch screen without worrying about scratching the screen or leaving fingerprints on it. The stylus comes with a tether to keep it attached to the tablet, so it doesn't get lost or misplaced.

#### **Product Information**

Stylus Dimensions: 108.7mm; Ø9mm

Tip size: 2.7mm; Ø2.8mm Tether Length: 304mm

#### **SKU ID**

**GMPSXN** 



## DIGITIZER PEN WITH TETHER

## **Features & Benefits**

The digitizer pen provides a more accurate and easy way for data entry and handwritten signature. A shortcut button allows the right mouse button functionality when using the pen.

#### **Product Information**

Stylus Dimensions: 109mm; Ø9mm

Tip size: 2.0mm; Ø1.65mm Tether Length: 292mm

#### **SKU ID**

GMPDX6





## GETAC DS100 USB-C DOCKING STATION WITH AC ADAPTER

### **Features & Benefits**

The Getac DS100 USB-C Docking Station, featuring a slim and compact design, seamlessly consolidates cables on the workstation. This allows users to swiftly create a personalized workspace and organize their daily office environment. Compatible with various Getac laptop and tablet models, it provides extra connectivity and multiple I/O ports for additional peripherals and data sources. With support for MAC Address Pass-Through, Wake-on-LAN (WoL), and PXE Boot, the DS100 aids IT administrators in maintaining a secure, efficient, and well-managed network infrastructure.

#### **Product Information**

Dimensions: L 207 x W 90 x H 34.1mm

Weight (without 135W AC Adapter): 372.4g (0.82lbs)

Power Cable Length: 1.8m

USB-C Upstream Cable Length: 1m

I/O Ports: DC in Jack x 1, USB 3.2 Gen 1 Type-A x 3,

USB 3.2 Gen 2 Type-C x 2, LAN x 1, HDMI 2.0 x 1, DisplayPort 1.4 x 2

(For use in non-hazardous areas only)

#### **SKU ID**

GDDSE2 (EU Power Cord)

GDDSU2 (US Power Cord)

GDDSK2 (UK Power Cord)

GDDSA2 (AU Power Cord)

GDDSC2 (CHN Power Cord)

GDDST2 (TW Power Cord)

GDDSI2 (IN Power Cord)



## **SCREEN PROTECTION FILM MATTE FINISH**

### **Features & Benefits**

This screen protection film is cut precisely to fit the K120 tablet and is easy to install and remove without leaving sticky residue. With anti-glare coating, it not only protects the screen from the rigors of daily use, and helps to diffuse light on the screen and reduces glare, providing effortless readability for displayed information under common ambient lighting conditions.

#### **Product Information**

Dimensions: L 301.08 x W 191.32 x D 0.14mm

Main Material : PET

#### **SKU ID**

GMPFXJ



## **SHOULDER HARNESS 4-POINT**

### **Features & Benefits**

This shoulder harness has four snap hooks which attach to the corner rings on the tablet, and can be easily detached as well. The harness is worn in a backpack style, allowing the tablet to be carried hands-free in front of the user at a belt level for easy accessibility. It also delivers optimal support and a comfortable fit during movement, thanks to its wide soft padding and adjustable straps.

#### **Product Information**

Dimensions : 1380 x 372mm Main Material : Polyester

#### **SKU ID**

GMS4X4



## **SHOULDER STRAP 2-POINT**

### **Features & Benefits**


This shoulder strap attaches via two holders at the back of the tablet and is adjustable to fit most body sizes for both cross-body and shoulder carry. With its durable, sturdy design, the strap not only provides a comfortable, grip-free carrying option of the tablet but also helps in avoiding accidental drops while on the move. The shoulder strap can also attach to the detachable keyboard (sold separately) via two D-rings on the built-in handle.

#### **Product Information**

Dimensions: 38 x 1530mm Main Material: Polyester

#### **SKU ID**

GMS2X8



## **GETAC RUGGED KEYBOARD**

### **Features & Benefits**

The Getac Rugged Keyboard is designed with VESA and AMPS mounting capability that allow it to be placed firmly in the vehicle. It has gone through vigorous test that comply with MIL-STD 810G and IP65. It also features with 88 full sized keys, red LED backlight with five levels of brightness and impressive key response that will truly enhance user experience.

#### **Product Information**

Dimension: 307.7 x 194 x 32 mm

Weight: 870g

Compatibility: Windows 10 Pro, Windows 11 Pro Backlit: Red LED. five levels of brightness Coiled Cable Length: USB 2.0 interface, 1.83m

#### **SKU ID**

Getac Rugged Keyboard	Getac Rugged Keyboard with Smart card and USB 2.0	Getac Rugged Keyboard with Smart card and LF/HF RFID
GDKBU9 (US)	GDKBU6 (US)	GDKBU7 (US)
GDKBC9 (UK)	GDKBC6 (UK)	GDKBC7 (UK)
GDKBB9 (DE)	GDKBB6 (DE)	GDKBB7 (DE)
GDKBD9 (FR)	GDKBD6 (FR)	GDKBD7 (FR)



## **KEYBOARD DOCK WITH RF PASS-THROUGH**

### **Features & Benefits**

Featuring 4-level red backlighting, 83 full-size keys and an integrated touchpad, the keyboard dock with a built-in rear handle allows for a user-friendly, laptop-like operation to minimize mistakes and increase the efficiency as you perform data-intensive tasks. It also carries a variety of I/O ports for connections to peripherals and other devices. Its Double-locking mechanism strengthens the tablet-keyboard connection and prevents the keyboard from accidentally falling off.

#### **Product Information**

Dimension: L 340.5 x W 327.5 x H 21mm

Weight: 1.43Kg

Structure : IP66; membrane Drop : 4ft Layout : 83 keys

I/O Interfaces: USB-C charging port x 1, DC in Jack x 1,

USB 3.2 Type-A x 3, Giga Lan (RJ-45) x 1, HDMI x 1, Serial Port x 1, Display Port X 1, RF antenna pass-through for GPS, WLAN and WWAN

Docking Compatibility: Compatible with K120 vehicle /office docks (laptop mode).

#### **SKU ID**

GDKBUN (US)
GDKBFN (Canadian French)
GDKBVN (Canadian French Government)
GDKBBN (DE)
GDKBCN (UK)
GDKBDN (FR)

GDKBEN (İT) GDKBGN (Traditional Chinese)

GDKBHN (RU) GDKBIN (AR) GDKBKN (KR) GDKBLN (PL) GDKBMN (Spanish) GDKBNN (FDNS) GDKBTN (TR) GDKBWN (International US)



## ROTATING HAND STRAP WITH KICKSTAND

### **Features & Benefits**

The rotating hand strap is designed to make using the tablet easier and more convenient to carry. The hand strap is adjustable to fit the majority of hand sizes and can be rotated 360 degrees to find the ideal viewing angle while on-the-go. It also includes a built-in kickstand that allows for handsfree usage on flat surfaces, providing more on-the-job flexibility.

#### **Product Information**

Hand Strap Dimension : 242 x 115mm

Main Material : PU

#### **SKU ID**

**GMHRXN** 



## 65W USB-C AC ADAPTER

### **Features & Benefits**

This adapter is designed to power the device and charge its internal battery from an AC power source.

#### **Product Information**

Input: 100V-240V, 50~60Hz, 1.6A

Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A

Dimensions: L 90 x W 51 x H 28.5mm

Weight: 220g ±15g

Input cable length: 1830mm Output cable length: 1500mm

#### **SKU ID**

GAT6U1 (US Power Cord) GAT6E1 (EU Power Cord) GAT6K1 (UK Power Cord) GAT6A1 (AU Power Cord) GAT6C1 (CHN Power Cord) GAT6T1 (TW Power Cord) GAT6G1 (AG Power Cord)



## **SPARE MAIN STORAGE WITH CANISTER**

### **Features & Benefits**

Getac Spare Main Storage with canister is designed to provide you the ease of installation and allow you to remove your confidential data when your device is sent for service.

#### **Product Information**

Capacity: PCIe NVMe 256GB/512GB/1TB/2TB Dimension: L 110.1 x W 28.2 x H 5.7mm

Weight: 40g

#### SKU ID

GSSEX6 (256GB PCIe NVMe SSD) GSSFX6 (512GB PCIe NVMe SSD) GSSGX6 (1TB PCIe NVMe SSD) GSSHX6 (2TB PCIe NVMe SSD)



## HARD HANDLE

## **Features & Benefits**

The multi-functional hard handle offers extra mobility to field workers to grab-and-go when the situation requires.

#### **Product Information**

Dimensions: L 358 x W 34.6 x H 64 mm

Weight: 220g Main Material: TPU & PC

#### **SKU ID**

GMHDX4





## **DETACHABLE KEYBOARD**

### **Features & Benefits**

Featuring 4-level red backlighting, 88 full-size keys and a Precision Touchpad (PTP), the detachable keyboard allows a more accurate and reliable pointer and gesture functionality. Specifically designed for highly mobile professionals who need to perform data-intensive tasks in their daily workflows. The double-locking mechanism strengthens the tablet-keyboard connection and prevents the keyboard from accidentally falling off.

#### **Product Information**

Dimension: L 340.5 x W 327.5 x H 21mm

Weight:1.25Kg

Structure: IP66, membrane

Drop : 4ft Layout : 88 keys

I/O Interfaces : DC in Jack x 1

Docking Compatibility: NOT compatible with K120 vehicle /office docks (laptop mode).

#### **SKU ID**

GDKBUM (US)

GDKBFM (Canadian French)

GDKBVM (Canadian French Government)

GDKBBM (DE)

GDKBCM (UK)

GDKBDM (FR)

GDKBEM (IT)

GDKBGM (Traditional Chinese)

GDKBHM (RU)

GDKBIM (AR)

GDKBKM (KR)

GDKBLM (PL)

GDKBMM (Spanish)

GDKBNM (FDNS)

GDKBTM (TR)

GDKBWM (International US)

